
Maryland Historical Trust Maryland Inventory of Historic Properties Form

Inventory No. CARR-1261

EASEMENT

1. Name of I	Property	(indicate preferred na	ame)		
historic	Hampstead Tr	rain Station			
other					
2. Location					
street and number	4035 Gill Aver	nue		22-	not for publication
city, town	Hampstead		-		vicinity
county	Carroll				
3. Owner of	Property	(give names and mailing	addresses of all owners		
name	CSX Transpor	tation, Inc.			
street and number	500 Water Str	eet, 15th Floor		telephone	(904) 359-3200
city, town	Jacksonville		state Florida		zip code 32202-4423
4. Location	of Legal D	escription			
courthouse, registry	y of deeds, etc.		liber	folio	
city, town		tax map 500	tax parcel 2992	tax ID	number 08032939
Contri Deterr Deterr Recor Histori	buting Resource i mined Eligible for mined Ineligible fo ded by HABS/HAI ic Structure Repor	n National Register District n Local Historic District the National Register/Maryland r the National Register/Maryland ER t or Research Report at MHT ion Easement Property			
6. Classifica	tion				
Categorydistrict _X_building(s)structuresiteobject	Ownershippublicboth	Current Function agricultureXcommerce/tradedefensedomesticeducationfunerarygovernmenthealth careindustry	landscaperecreation/culture _religion _social X_transportation _work in progress _unknown _vacant/not in use _other:		

CARR-1261 Hampstead Train Station 4035 Gill Avenue Hampstead Quadrangle



1998 Aerial Photo



Hampstead Train Station DOE & Cond. Secur. Agmt. (FY 2002) MSP/mhd(09262002)(2)

EXHIBIT A SCHEDULE

HAMPSTEAD TRAIN STATION 4035 GILL AVENUE HAMPSTEAD, CARROLL COUNTY

PAGE 1 OF 11	Schedule
PAGE 2 OF 11	Site plan
PAGE 3 OF 11	General view of the train station, looking southeast, with grain elevators visible in the rear. (15)
PAGE 4 OF 11	North, or Gill Street, elevation showing the passenger end of the station. (16)
PAGE 5 OF 11	South elevation showing the freight end of the station. (13)
PAGE 6 OF 11	South and west elevations looking northeast across the railroad tracks. (14)
PAGE 7 OF 11	South and east elevations looking to the northwest. (12)
PAGE 8 OF 11	Interior view, looking south from the passenger area into the raised freight section. (17)
PAGE 9 OF 11	Interior view, looking north from the freight area into the passenger section. (18)
PAGE 10 OF 11	Contact sheet prints
PAGE 11 OF 11	Identification of contact sheet prints

HAMPSTEAD TRAIN STATION HAMPSTEAD, CARROLL COUNTY **SCHEDULE**

EASEMENT EXHIBIT A, Page 1 0f 11

PREPARED BY: RDS SEPTEMBER, 2002

MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T. GRANTOR GRANTEE

Hampstead Train Station DOE & Cond. Secur. Agmt. (FY 2002) MSP/mhd(09262002)(2)

EXHIBIT B PROPERTY DESCRIPTION

HAMPSTEAD TRAIN STATION 4035 GILL AVENUE HAMPSTEAD, CARROLL COUNTY

Beginning at a point on the south side of Gill Avenue (40 feet wide), said point also being on the first (1st) or North 74 degrees 08 minutes East 117.76 foot line of the land as described in a deed from Irvin S. Leister and Lena B. Leister, his wife, to The Western Maryland Railway Co., a body corporate of the State of Maryland, dated July 16, 1912 and recorded among the Land Records of Carroll County, Maryland in Liber 120, folio 147, at the distance of 39.38 feet measured along said line from an iron pipe found at the beginning thereof, thence leaving the place of beginning and running with and binding on the south side of aforesaid Gill Avenue and also running with and binding on the outline of the land as described in the aforesaid deed and as now surveyed by Stephen C. Barnhart, Registered Property Line Surveyor, #168, Viz:

- 1) North 81 degrees 15 minutes 00 seconds East 78.38 feet to a railroad spike now set at the beginning of the second (2nd) or South 05 degrees 29 minutes East 76.70 foot line of the land as described in the aforesaid deed, thence leaving the south side of Gill Avenue and continuing with the outline of the land as described in the aforesaid deed, viz:
- 2) South 01 degrees 46 minutes 00 seconds West 76.70 feet to a rebar and cap now set, thence,
- 3) South 07 degrees 30 minutes 00 seconds West 109.15 feet to a rebar and cap now set, thence,
- 4) South 04 degrees 55 minutes 01 seconds West 64.46 feet to a rebar and cap now set at the beginning of the fifth (5th) line of the land as described in the aforesaid deed, thence leaving the outline of the land as described in the aforesaid deed and running for lines of a maintenance easement, as now established, through the land as described in said deed, of which the easement now being described is a part, the ten (10) following courses, viz:
- 5) South 77 degrees 10 minutes 04 seconds West 1.27 feet to a point, said point being distant 30.00 feet, measured at right angles in a northeasterly direction from the centerline

of the existing CSX Transportation, Inc. railroad track, thence running parallel to and distant 30.00 feet, measured at right angles in a northeasterly direction from said centerline of track, viz:

- 6) North 12 degrees 49 minutes 56 seconds West 156.60 feet to a point intended to coincide with the roof overhang of the existing train station building, above, thence running to coincide with said overhang the seven (7) following courses, viz:
 - 7) South 77 degrees 14 minutes 26 seconds West 14.02 feet to a point, thence,
 - 8) North 12 degrees 45 minutes 34 seconds West 46.40 feet to a point, thence,
 - 9) South 77 degrees 14 minutes 26 seconds West 2.50 feet to a point, thence,
 - 10) North 12 degrees 45 minutes 34 seconds West 16.35 feet to a point, thence,
 - 11) North 77 degrees 14 minutes 26 seconds East 2.50 feet to a point, thence,
 - 12) North 12 degrees 45 minutes 34 seconds West 18.65 feet to a point and thence,
- 13) North 77 degrees 14 minutes 26 seconds East 13.92 feet to a point, thence leaving the coincidence with the aforesaid roof overhang, and again running parallel to and distant 30.00 feet measured at right angles in a northeasterly direction from the aforesaid centerline of track, viz:
 - 14) North 12 degrees 49 minutes 56 seconds West 5.54 feet to the place of beginning. Containing 11, 244 square feet of 0.2581 acres of land, more of less.

Being a part of the holdings as indicated in a Certificate of Merger, filed December 16, 1988 and recorded among the land Records of Carroll County, Maryland in Book 36, page 788, by and between Western Maryland Railway Company, (a Maryland corporation) into CSX Transportation, Inc. (a Virginia corporation).

Also being a part of the land which by deed dated July 16, 1912 and recorded among the Land Records of Carroll County, Maryland in Liber 120, folio 147, was conveyed by Irvin S. Leister and Lena B. Leister, his wife, to The Western Maryland Railway Company, a body corporate of the State of Maryland.

Subject to an easement agreement by and between CSX Transportation, Inc., a Virginia corporation and Baltimore Gas and Electric Company, a corporation of the State of Maryland, dated December 17, 1991 and recorded among the Land Records of Carroll County, Maryland in Book 1322, page 725.

Hampstead Train Station DOE & Cond. Secur. Agmt. (FY 2002) MSP/mhd(09262002)(2)

Being all that same land upon which CSX Transportation, Inc. conveyed a Deed of Easement to The Town of Hampstead dated January 5, 1998, and recorded at the Land Records of Carroll County in Liber 1993, page 0428, the interest in said maintenance easement thereafter being conveyed by The Town of Hampstead to the Hampstead Train Station Committee, Inc. in a Deed of Easement dated January 24, 2000 and recorded in the Land Records of Carroll County at Liber 2304, pate 0845.

FEB 15 200

12+

Randall Skeirik 100 Community Pla Crownsville Md.

Excluded From Fee parsuant to the State of Manyland Annotated Code, Tax frogerty Article 12-108 (a) (11).

IMP FO BURE & 1.8
RECORDING FEE 1.8
RR TAX STATE 1.9
TOTAL 2
RegPORRE 60000995555
LMS IMP BIK#497
Dec 83, 5888 19955 10

RCVD 06 DEC03'02 09:21

EXHIBIT A

SCHEDULE HAMPSTEAD TRAIN STATION 4035 GILL AVENUE HAMPSTEAD, CARROLL COUNTY

PAGE 1 OF 11	Schedule
PAGE 2 OF 11	Site plan
PAGE 3 OF 11	General view of the train station, looking southeast, with grain elevators visible in the rear. (15)
PAGE 4 OF 11	North, or Gill Street, elevation showing the passenger end of the station. (16)
PAGE 5 OF 11	South elevation showing the freight end of the station. (13)
PAGE 6 OF 11	South and west elevations looking northeast across the railroad tracks. (14)
PAGE 7 OF 11	South and east elevations looking to the northwest. (12)
PAGE 8 OF 11	Interior view, looking south from the passenger area into the raised freight section. (17)
PAGE 9 OF 11	Interior view, looking north from the freight area into the passenger section. (18)
PAGE 10 OF 11	Contact sheet prints
PAGE 11 OF 11	Identification of contact sheet prints

HAMPSTEAD TRAIN STATION
HAMPSTEAD, CARROLL COUNTY

Schedule

EASEMENT EXHIBIT NO. A, Page 1 of 11


PREPARED BY: RDS

SEPTEMBER, 2002

MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR




HAMPSTEAD TRAIN STATION
HAMPSTEAD, CARROLL COUNTY

SCALE: Not to Scale
PREPARED BY: RDS SEPTEMBER, 2002
MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR

GRANTEE



General view of the train station, looking southeast, with grain elevators visible in the rear.

EASEMENT EXHIBIT NO. A, Page 3 of 11

MARYLAND HISTORICAL TRUST


SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR

PREPARED BY: RDS

GRANTEE

SEPTEMBER, 2002



North, or Gill Street, elevation showing the passenger end of the station.

EASEMENT EXHIBIT NO. A, Page 4 of 11

MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR

PREPARED BY: RDS

GRANTEE

SEPTEMBER, 2002




South elevation showing the freight end of the station.

EASEMENT EXHIBIT NO. A, Page 5 of 11

PREPARED BY: RDS SEPTEMBER, 2002 MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR



South and west elevations looking northeast across the railroad tracks.

EASEMENT EXHIBIT NO. A, Page 6 of 11

PREPARED BY: RDS SEPTEMBER, 2002 MARYLAND HISTORICAL TRUST

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

GRANTOR



South and east elevations looking to the northwest.

EASEMENT EXHIBIT NO. A, Page 7 of 11

SIGNED ORIGINAL ON FILE WITH THE M.H.T.

PREPARED BY: RDS SEPTEMBER, 2002 MARYLAND HISTORICAL TRUST

GRANTOR

Easement

CARR-1261 Gill Avenue, Hampstead

Summary:

When the Hampstead Railroad Station was first inventoried in 1986, it was noted that the station was built in 1912, according to Chessie System officials, but that local residents believed it to be a nineteenth-century structure. Additional research proves that the 1912 date is accurate. A study of the country railroad station in America, published in 1988, concluded that the Hampstead depot "... contains racially segregated waiting rooms" The small black population of the region makes it unlikely that these rooms were to segregate the races, especially since the rooms were similar in size and finish, and were apparently connected at one end, where they shared access to a single ticket window. The only difference between the rooms was that the one on the north end was heated, while the waiting room between the agent's office and the freight depot on the south end was not. It seems likely that the heated room was for women to wait in, while the other room, which would have seen traffic from the agent passing between his office and the freight room, would have been a men's waiting room. Additional research suggests that the two rooms were meant to segregate the sexes.

Maryland Historical Trust State Historic Sites Inventory Form

MARYLAND INVENTORY OF

Magi No.

DOE __yes __no

Easement

4 5				
1. Nam	e (indicate pre	ferred name)		
historic	Hampstead Railro	ad Station	material second and an experience	
and/or common				
2. Loca	ation			
street & number	Gill Avenue	@ Railroad trac	ks _	not for publication
city, town	Hampstead	vicinity of	congressional district	
state	Maryland	county	Carroll	
3. Clas	sification			
Category district building(s) structure site object	Ownership X public private both Public Acquisition in process being considered X not applicable	Status occupiedX unoccupied work in progress AccessibleX yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Own	er of Proper	ty (give names an	d mailing addresse	s of <u>all</u> owners)
name	Town of Hamp	ostead		
street & number	1034 South 0	Carroll Street	telephone no	o.: (410) 239-740
city, town	Hampstead	state	and zip code Ma	ryland 21074
5. Loca	ation of Lega	I Description	n	
courthouse, regi	stry of deeds, etc.	Courthouse Anne	x	liber
street & number	55 North Cou	ırt Street		folio
city, town	Westminster		state	Maryland
6. Rep	resentation i	n Existing	Historical Surv	eys
title MHT S	tate Historic Sit	es Inventory For	· m	
date June	1986		federal state	e county loca
pository for su	urvey records MHT			
city, town	rownsville		state	Maryland

7. Description

Survey No.

CARR-1261

Condition excellent

good

fair

X deteriorated ruins

unexposed

Check one unaltered X altered

Check one
X original site

__moved date of move

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

SEE ATTACHED

8.	Sig	mifi	can	ce

Survey No. CARR-1261

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 X 1900–	archeology-prehistor archeology-historic agriculture X architecture art	Check and justify below c
Specific date:	1912	Builder/Architect
App	and/or licable Exception: _	A B XC D A B C D E F G
		nationalstate _Xlocal
Prepare both support.	n a summary paragraph	of significance and a general statement of history and

SEE ATTACHED

SEE ATTACHED

10. Geogra	phical Data			
	nerty .626 A. npstead Complete UTM refe	rences	Quadrangl	e scale 1:24000
Zone Easting	Northing	B Zone East	ting	Northing
C		□		
Verbal boundary descrip	ption and justification			
List all states and coun	ties for properties over	E1.E1 1175	boundaries	
Verbal boundary description of the second states and country state		rlapping state or county	boundaries	code
List all states and coun	ties for properties over	E1.E1 1175	boundaries	code
List all states and coun state state	ties for properties over code	county	boundaries	
List all states and counstate state 11. Form Pr	code code	county	boundaries	
List all states and counstate state 11. Form Pr	code code	county county istoric Planner	boundaries May 18,	code
List all states and counstate state 11. Form Promeritie Kenne organization Carrol	ties for properties over code code code tepared By th M. Short, H.	county county istoric Planner ng & Develop date	May 18,	code

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust Shaw House 21 State Circle Annapolis, Maryland 21401 (301) 269-2438 MARYLAND HISTORICAL TRUST
DHCP/DHCD
100 COMMUNITY PLACE
CROWNSVILLE, MD 21032-2023
514-7600



Description

Section 7 Page 1

The Hampstead Railroad Station is located at the southeast corner of the intersection of Gill Avenue and the CSX railroad tracks in Hampstead in Northeast Carroll County Maryland. The Station is a one story 6 bay x 2 bay frame structure with a concrete foundation and a gable roof that had slate, but is now in the process of being rebuilt. The roof has a north/south ridge. The siding has beaded-edge-in-center vertical boards below a railing that matches the chair rail in the interior, above this railing is German siding with corner boards that are fastened with wire nails. The siding is painted light grey with a maroon trim, the windows are boarded up but are 2/2 double-hung sash and all of the doors have five lying panels and have one-light transom above. The station has over hanging eaves with brackets and a beaded-edge-in-center board soffit.

On the west elevation from north to south, there is a typical window, a typical door, projecting bay with paired typical windows and with a typical window on both the north and south elevations of the bay. The bay has a gable roof with an east/west ridge and stick work barge boards. South of the bay is a typical door, a typical window and beaded-edge-in-center vertical board freight door on rollers with a large transom above that is boarded up. The south elevation has a typical freight door and transom set to the east and a small 2/2 sash and a gable end. A portion of the original stick work barge board survives in the gable end. The east elevation has from south to north a typical freight door and transom, a typical window, a typical door, typical window, typical door and typical window at the north. The north elevation has two typical windows and stick work barge board in the gable end.

The interior has a large freight room at the south end and three rooms in the north end, the original arrangement consisted of north and south waiting rooms that were connected on the east and a station agents office in the west center section where the bay is. The east wall of the office was taken down and the north and south walls of the office extended to enlarge it and separate the north and south waiting rooms. The flooring throughout is 2 ½ inch wide and runs north/south, the chair rail has a bull nose shelf with a taurus covetto bead and ogee below. The architrave is symmetrical and has a bead in the center with an ovolo to each side and a bead on each outer corner. There are bulls-eye corner blocks. The walls have beaded edge and center vertical board half wainscot below the chair rail and horizontal beaded-edge-in-center boards above the chair rail. The ceilings also had beaded-edge-in-center boards but most of this was removed when the roof framing was replaced.

The north room is painted a medium gray overtop of a light gray overtop of varnish below the chair rail. The chair rail and architrave are painted to match. Above the chair rail the wood is painted light gray over varnish. The architrave appears to be painted a medium gray over varnish. On the south elevation set to the west is a door with one light over three lined panels. This door

Description

Section 7 Page 2

leads to the center room or office. It originally swung into the center room but was moved to swing out. It is hung on metal plate butt hinges that are face screwed to the architrave and there are no mortices on the jam. It has a mortice lock with a stamped metal foliate escutcheon and knob. The door is painted light gray on the rails and stiles and medium gray on the panels. Beneath the paint is varnish. The exterior doors are painted to match this door.

The center room or office is painted light green above the chair rail overtop of a flesh color which is overtop of a grass green which is overtop of a medium olive green which is on top of varnish. Below the chair rail the walls are painted a light green on top of a flesh color overtop of a dark black green. The architrave is painted a dark gray green over a flesh tone over a dark black green over varnish. The ceiling is painted white over a putty color overtop of a light olive green. This appears to have been varnished originally as well. The door on the north elevation set to the west which leads to the north waiting room has rails and stiles that are painted a dark gray green over a flesh tone over a grass green over a medium olive green over a light green on top of varnish. The panels are a light green over flesh over a dark forest green over a medium mustard brown over varnish. On the north elevation east of the door is a brick chimney that is enclosed with the same siding as the rest of the room. It has a stove pipe hole on the north side for a stove that must have stood in the north waiting room. On the west elevation was a built in desk that was open in the center for the agents legs, part of the desk survives in the northwest corner, part has been removed and carried outside. The southwest corner of this room has been rebuilt and there was apparently a door on the south elevation that led to the south waiting room. There is a cellar below this room. The east ends of the north and south walls have plywood with battens covering the joints, there is chair rail and wainscot below it at the bottom of the walls that appears to have been used when the original eastern wall was taken down. The eastern section of the south elevation has a ticket window with typical architrave, the window slides up into the wall with a slide bolt to hold it in place. The window has a two light sash, these window was probably reused and moved from its original location, likely on the east elevation.

The south waiting room is a mirror image of the north room, the whole room is painted a flesh color over a light gray green or olive green over top of what appears to be varnish. The ceiling is painted white over a light gray green or olive green. There is a cornice molding at the ceiling fastened with wire nails. The south elevation to the west has a doorway that leads to the south freight room, there are three steps up inside of the door. The flooring in this room is 2" thick butted boards that are 6" or 12" wide and run north/south, the walls are sheathed half the way up with circular sawn half lapped boards. The studs here are circular sawn and are 1 ½ inches by 5 ½ inches. There is rough shelving built in on the north elevation to the east and there

Survey No.CARR-1261

Description

Section 7 Page 3

is a ladder on the north elevation to the attic area. Roof framing survives here and there is a ridge pole, the joists are lapped and nailed to the rafters and there are small dimension diagonal braces nailed from near the center of the rafters to near the center of the joists. The freight doors are hung on interior rollers.

Contributing Resourses 1.

Significance Section 8 Page 1

When the Hampstead Railroad Station was first inventoried in 1986, it was noted that the station was built in 1912, according to Chessie System officials, but that local residents believed it to be a nineteenth-century structure. Additional research proves that the 1912 date is accurate. A study of the country railroad station in America, published in 1988, concluded that the Hampstead depot "... contains racially segregated waiting rooms" The small black population of the region makes it unlikely that these rooms were to segregate the races, especially since the rooms were similar in size and finish, and were apparently connected at one end, where they shared access to a single ticket window. The only difference between the rooms was that the one on the north end was heated, while the waiting room between the agent's office and the freight depot on the south end was not. It seems likely that the heated room was for women to wait in, while the other room, which would have seen traffic from the agent passing between his office and the freight room, would have been a men's waiting room. Additional research suggests that the two rooms were meant to segregate the sexes.

This property was one of many owned by Charles M. Murray at his death in 1910, and held a grain elevator operated by Switzer and Bixler. Murray's son, acting as trustee, sold the property to Irvin Leister in 1910. The 1911 Sanborn map shows that there was a 2½ story grain elevator on the sit, with a one-story passenger depot on the north end and a one-story freight house on the south end. Switzer & Bixler continued to operate the elevator. In July, 1912, Leister sold .626 acres, the land where the elevator was, to the Western Maryland Railway Company for \$1000. Several conditions were placed on the sale, including that the land could only be used for railroad functions, that Leister would continue to have the use of the switch, and that Leister "reserves the buildings including the foundation stone on the land hereby conveyed with the privilege of removing the same within fifty days from the date of this deed"

Leister had probably already started construction of the new mill (Carr-1262). By early August a correspondent could write, "Every vestige of the old depot and freight shed has been removed and there is now nothing to hinder the Western Maryland from building a decent depot and a good freight house at Hampstead." Taking down the old building proved easier than erecting the new one. A group of Hampstead residents petitioned the Public Service Commission to force the railway to "... erect a proper station" The petitioners complained that there was "... no provision for lavatories or separate rooms for men and women, "criticizing the railway's plans as a "one-horse" depot. The hearing was held on 13 September, and on 26 September the Western Maryland submitted new plans to the Commission, remedying the problems. The Commission accepted the proposed separate waiting rooms and ordered "separate closets for men and women for sanitary purposes, at about the distance of two hundred (200) feet in the rear of the said station." Another concern had been that the freight house would interfere with traffic on Railroad Avenue, so the Commission ordered that the freight depot portion of the station be located away from the road.

Significance

Section 8 Page 2

The concern about the local railroad station on the part of the citizens of Hampstead is not unusual. With the coming of the railroad, the local depot became a major gateway to the town, and residents of many cities and towns, of all sizes, wanted the station to make the best possible expression about the quality of the town. The station became a source of pride for many towns, and in the case of Hampstead is considered important enough that the town has recently acquired the building and is in the process of rehabilitating it.

Geographic Organization:

Piedmont

Chronological/Developmental Periods: Industrial/Urban Dominance A.D. 1870-1930

Historic Period Theme: Architecture/Transportation

Resource Type: Railroad Station

Survey No.CARR-1261

MARYLAND HISTORICAL TRUST STATE HISTORIC SITES INVENTORY FORM

Bibliography

Section 9 Page 1

Carroll County Land Records

Sanborn Fire Insurance Maps, "Hampstead, 1911, 1924

Grant H. Roger, and Charles W. Boh: *The Country Railroad Station in America*. Sioux Falls, S.D.: The Center for Western Studies, Augustana College, 1988, p. 64

Western Demo. Adv., 9 Aug. 1912, p. 3, c1; 16 Aug. 1912, p. 5, c3; 6 Sept. 1912, p. 7, c2

Report of the Public Service Commission of Maryland for the year 1912. Balto.: Sun Book and Job Printing Office, Inc., 1913. Case no. 428, pp. 302-3

CARR – 1261 & 1262 Hampstead Mill & Railroad Station


CHAIN OF TITLE

GRANTOR	HOME COUNTY	GRANTEE	HOME COUNTY	DATE	LIBER	FOLIO	TRANS- ACTION	COMMENTS
Ralph Hoffman assignee of mortgage		Josue C. Laredo & Christina I. (wf)		5 Dec. 1980	LWS/779	759	Deed fee simple	4 continuous lots 1. 2 3 .099 ac. 4064 ac. \$200,000.00 Equity Dockett #16800
Pride of the Valley, Inc Dela Corp.		North Carroll Investment Co., MD Corp.		11 Jun. 1971	CCC/489	159	Deed fee simple	4 lots
Valley Feed & Supply – NY Corp.		Pride of the Valley, Inc Dela. Corp.	10.7	30 Sept. 1966	CCC/419	448	Deed fee simple	4 lots
Quaker City Flour Mill, Inc. – Dela. Corp.		Belt Seed Co., Inc. – MD Corp.		13 Jul. 1964	CCC/376	682	Deed fee simple	4 lots
Western Maryland R. R.		Quaker City Mills		15 Sept. 1961	340	10		Parcel 4
Manchester Bank		Quaker City Flour Mills, Inc. – Dela. Corp.		15 Apr. 1939	LDM/170	292	Deed fee simple	2 parcels
John B. Baker, assignee of mortgage (Star Milling Co., Inc. – VA Corp.)	Carroll	Manchester Bank		9 Mar. 1939	LDM/170	224	Deed fee simple	48,267 sq. ft.
William C. Miller, Pres., J. Frank Switzer, Sec. Hampstead Milling – MD Corp.		Star Milling Cor. – VA Corp. & A. A. Roudabush, Shenandoah, VA		6 Jul. 1935	EMM/162	345	Deed, ?	a. 19,921 sq. ft. see 4 deeds below b. 28,346 sq. ft.
Irvin S. Leister & wf. Lena B.	Carroll	Malko Milling & Lighting Co. – MD Corp.		31 Mar. 1921	EOC/138	252	Deed fee simple	Murray's Division, lot 3 1+ ac626 ac. sold to WMRR 16 Jul. 1912, lot 10 – 28,890 sq. ft.


CARR – 1261 & 1262 Hampstead Mill & Railroad Station

CHAIN OF TITLE


GRANTOR	HOME	GRANTEE	HOME	DATE	LIBER	FOLIO	TRANS:	COMMENTS
Agnes A. Murray		Malko Milling & Lighting Co.		31 Mar. 1921	EOC/138	254	on maintain one recommendation	K kanat semile atta tatta ranbaldahas adir at
J. Frank Switzer	1	Malko Milling & Lighting Co.		31 Mar. 1921	EOC/138	255	1	
Harry Bixler		Malko Milling & Lighting Co.		1 Apr. 1921	EOC/138	256		833 sq. ft.
Madilla Brilhart		Flarry Bixler		26 Apr. 1920	136	244		
Agnes Murray		J. Frank Switzer		23 Nov. 1917	131	385		
Charles W. Murray, trustee	Carroll	Irvin S. Leister	Carroll	30 Dec. 1910	ODG/I16	74	Deed	lot 3 – the elevator, station, and warehouse property – 1 ac. lot 10 – 28,890 sq. ft. \$5,000.00
Agnes A. Murray		Mandilla C. Brilhart		9 Feb. 1910	114	344		
Agnes A. Murray		Harry Bixler		3 Feb. 1910	113	418		
Charles A. Murray		Agnes A. Murray		31 Dec. 1904	101	234		
William A. Murray		Agnes A. Murray		12 May 1899	89	275		
Ephraim W. Turner		William A. Murray		29 Jul. 1889	69	518		
Keziah Murray		Charles M. Murray		4 Dec. 1882	58	114		
Andrew Schaffer		Charles M. Murray		17 Dec. 1878				
William A. Murray		Agnes A. Murray		12 Jun. 1875				\$800.00
Mary Sykes	1	Keziah Murray		26 Jul. 1870	38	435		\$1,000.00
Joseph Ebaugh		Charles M. Murray		12 Apr. 1869	37	77		\$5,500.00
Rebecca Jane Cox		Joseph Ebaugh		6 Mar. 1854	16	154		



1/2 Hampstead Railroad Station 12 Mould ra Profiles KES 29 Jun. 1:3 CHAIRRAIL CORNICE Architale



Aug. 1911 . 2.




Jul. 1924, 2



COPYRIGHT - 1992 BY THE STATE OF MARYLAND ALL RIGHTS RESERVED

THESE MAPS ARE PROTECTED BY COPYRIGHT. THEY MAY NOT BE COPIED
OR REPRODUCED IN ANY FORM INCLUDING ELECTRONIC MEANS SHALL AS





CARR-1261 HAMPSTEAD RAILROAD STATION GILL AVENUE HAMPSTERD, CARROLL COUNTY, MARYLAND PHOTO: KENNETH M. SHORT

DATE JAN. '98 NEG. LOC: MARYLAND HISTORICAL TRUST

MP5400.23 X218 21** N N N-9-322

SOUTH & EAST ELEVATIONS



CARR-1261 HAMPSTEAD RAILROAD STATION GILL AVENUE HAMPSTERD, CARROLL COUNTY, MARYLAND PHOTO KENNETH M. SHORT MP5010.22 3218 21** N N N-8-322

DATE JAN. 198 NEG LOC MARYLAND HISTORICAL TRUST NORTH & WEST EZEVATIONS

or 4



CARR-1261 HAMPSTEAD RAILROAD STATION GILL AVENUE HAMPSTEAD, CARROLL COUNTY, MARYLAND PHOTO: KENNETH M. SHORT MP5446.21 2218 21** N N N-5 162 DATE JAN 98 NEG. LOC MARYLAND HISTORICAL TRUST NORTH CENTER ROOM - VW WEST



CARR-1261

HAMPSTERD RAILROAD STATION
GILL AVENUE
HAMPSTERD, CARROLL COUNTY, MARYLAND
PHOTO KENNETH M. SHORT

MP54V0.28 >218 21** N N N-8-842

DATE JAN. '98 NEG. LOC MARYLAND HISTORICAL TRUST NORTH ROOM -UW NORTH

+OF4

CARR - 1261

HAMPSTEAD RAILROAD STATION

1912

Hampstead

private

The Hampstead Railroad Station is representative of the rural "Stick-Style" railroad stations popular in the late 19th century. Its one-story height, hipped roof with wide eaves, and wood ornamentation reflect the Victorian period during which the railroad arrived in Hampstead. According to Chessie System officials, the station was built in 1912, but local residents feel that it dates to the late 19th century. As the center for commercial development in Hampstead, it has served as the symbol for progress within the community.

Maryland Historical Trust State Historic Sites Inventory Form

Magi No.

DOE	ves	no

	THE RESERVE TO A PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	referred name)		
historic Ha	mpstead Railroad	Station		
and/or common				
2. Loca	tion			
street & number	Gill Avenue a	t Railroad Tracks	<u>-</u>	not for publication
city, town Ha	mpstead	vicinity of	congressional district	Sixth
state Mar	yland	county	Carrol1	
3. Clas	sification	-		-
Category district _X building(s) structure site _ object	Ownership public both Public Acquisition in process being considered X not applicable	Status X occupied unoccupied work in progress Accessible yes: restricted yes: unrestricted	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific X transportation other:
street & number	ssie System Rai 100 North	Charles Street	telephone n	o.: 237 - 2000
	D-11:	state	1-f1- N	
city, town	Baltimore	state	and zip code M	ID
		gal Description		ID .
5. Loca			on	liber
5. Loca	ition of Leg	gal Description	on	
5. Loca courthouse, regis	ation of Leg	gal Description	on	liber folio
courthouse, regis street & number city, town	stry of deeds, etc. 55 North Court Westminster	gal Description	thouse Annex	liber folio MD
5. Loca courthouse, regis street & number city, town 6. Repr	stry of deeds, etc. 55 North Court Westminster	Carroll County Court	thouse Annex	liber folio MD
5. Loca courthouse, regis street & number city, town 6. Repr	stry of deeds, etc. 55 North Court Westminster Tesentation	Carroll County Court	thouse Annex state Historical Surv	liber folio MD

-			
7	Des	CPIN	TIAN
	DC3	VIIP	CIVII

Survey No. CARR-1261

Condition excellent	deteriorated	Check one X unaltered	Check one X_ original site	
good _X fair	ruins unexposed	altered	moved date of move	

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

The Hampstead Railroad Station is a one story structure, rectaregular in shape, five bays long by two bays wide. This building was built on a concrete foundation. The two main entrances are on either side of the off centered gable that's facing the railroad tracks. The gable decorated with "Kings post" trusses. This section of the building extends out from the frame which suggests that it was used as a pick-up drop-off point, expecially considering that it almost completely open from the front. Both side gabled roofs, with over hanging eaves and brace supports, were also adorned with "Kings post" trasses and a big light hand before the side facing the street. Both sides of this building have two windows are are decorated with diaghal, flat stickwork. The details on this building, especially the elaborated gable roof, suggest that it is a Victorian "Stick," popular between 1860 and 1890.

8. Significance

Survey No. CERR-1261

1400 1500 1600 1700	nistoric 0-1499 0-1599 0-1699 0-1799 0-1899	ard	of Significance— cheology-prehistoric cheology-historic riculture chitecture mmerce mmunications	ic _ - - -	con con eco edu eng exp	nmunity servation nomics cation ineerin	plannii on	ng	_ law _ liter _ milit _ mus _ phil	ature tary sic osophy tics/gove	rchitectur	scie scul scul soci	nce pture al/ anitarian
Specific	dates			В	uilder	Archit	ect	157 1			111	J. 20340	refelt, Mr.
check:	-	cable	Criteria:	Α .	В	c	D	Lili		(Libro)		Easting	anc)
	App1	icab1e	Exception:	_A	В	c	D	E	_F	G			
	Leve!	L of S	ignificance:	n	ation	al _	_state	1	oca1				

Prepare both a summary paragraph of significance and a general statement of history and support.

According to Chessie System officials, this station was built in 1912 (Carroll County Times, 4/4/86), although local residents believe that it is a 19th century station (which might be true).

The building is of a rural Victorian railroad station design, fairly plain and simple but with "Stick-style" ornamentation in the gables. As the center of late 19th century commercial development in Hampstead, it has served as the symbol of progress within the community.

9. Major Bibliographical References

Survey No. CARR-1261

Land Records of Carroll County, Maryland
"Hampstead Moves to Preserve 'Symbol'" Carroll County Times. April
4, 1986

Acreage of nominated proper	tv			
Quadrangle name Hampste		Quadrangl	e scale	
UTM References do NOT		rences	NESS ESSUENT.	
Zone Easting	Northing	В	sting	Northing
	لبيليليا	D		
E		F L L		
$G \sqcup \Box \Box \Box \Box$		н	لتتايا	
Verbal boundary descripti	on and justification			8 8
List all states and countie	es for properties ove	rlapping state or coun	ty boundaries	
state	code	county	3	code
	code	county		code
* 2		county		code
11. Form Pre		county		code
11. Form Pre	pared By			code
11. Form Pre	pared By	ernship	June 1986	code
11. Form Pre	pared By yland College Intacty Dept. of Plan	ernship		

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:


Maryland Historical Trust

Shaw House


21 State Circle

Annapolis, Maryland 21401

(301) 269-2438




HAMPSTEAD, MD. QUADRANGLE



CARR-1261 Hampstead Train Station 4035 Gill Avenue, Hampstead Jennifer K. Cosham, 20 April 2006



North elevation



West elevation